

Allergy Safety Policy

Person responsible for this policy & it's implementation	Dr Nazim Zaman, Health & Safety Officer
Review Frequency	Annually or when an incident is experienced
Date approved	01 September 2026
Date of next scheduled review	01 September 2027
Purpose	To minimise the risk of any individually suffering an allergic reaction whilst at school or attending any school related activity. To ensure staff are properly prepared to recognise and manage allergic reactions should they arise.
Links with other policies	<i>Safeguarding Anti-bullying Health and Safety Inclusion</i>

Introduction and Core Principles

In line with Benedict's Law and other legislation (see Appendix) we are committed to providing a safe, inclusive, and welcoming environment for all children, young people, staff, and visitors with allergies. Recognising the serious and potentially life-threatening risk posed by anaphylaxis, this dedicated policy establishes robust risk-mitigation measures and emergency response protocols.

Allergy is a spectrum of different allergic diseases. Reactions occur when a susceptible person is exposed to something (an "allergen") they are allergic to. Asthma, food allergy, eczema and seasonal rhinitis (hay fever) are all forms of allergy.

Anaphylactic reactions usually begin within minutes of being in contact with the allergen i.e. eating a trigger food, though can occur several hours later (i.e. allergy to Mammalian meat). Anaphylaxis involves difficulty in breathing and affects the heart rhythm. In extreme cases there could be a dramatic fall in blood pressure leading to collapse.

Once started, anaphylaxis reactions progress quickly. Investigations into fatal anaphylaxis show that there is only a 20-30 minute window of opportunity during which steps can be taken to prevent death – therefore giving emergency adrenaline immediately and calling Emergency Services (999) is crucial. **Anaphylaxis always requires an emergency response.**

Anaphylaxis can occur without any other signs (such as a skin rash) being present. **Always consider anaphylaxis in someone with a known food allergy who has sudden difficulty in breathing.** Giving adrenaline in this context is very safe and may be lifesaving.

The most common causes of "whole body" allergic reactions – including anaphylaxis – are:

- foods (e.g. peanuts, tree nuts, cow's milk/dairy foods, egg, wheat, fish/shellfish and sesame);
- insect stings (e.g. bee, wasp);
- medication (e.g. antibiotics, pain medicines such as ibuprofen);
- latex (e.g. rubber gloves, balloons, swimming caps).

Even for food allergy, the vast majority of anaphylaxis reactions require the person to have eaten the food, although less serious allergic reactions can happen through skin or other contact. Anaphylaxis reactions due to skin contact are very rare. **Children who have a skin reaction need monitoring for at least an hour.**

Normanton House School has a whole school awareness approach, because it ensures all staff and students are aware of what allergies are, the importance of avoiding the individuals' allergens, the signs & symptoms, how to deal with allergic reactions and to ensure procedures are in place to minimise risk of exposure.

Coeliac disease and food intolerance can present symptoms which are similar to those of food allergy; it is important that Coeliac disease and food intolerance is managed through dietary avoidance, but these conditions do not pose a risk of anaphylaxis and so they are not within this allergy safety policy.

Eczema, asthma and allergies sometimes occur together – known as the atopic triad. It is important that these are managed well in order to keep the individual healthy. Asthma training is needed by all staff and an individual's asthma care plan needs to be included with their individual healthcare plan. These conditions are not included in this allergy safety policy.

Emergency Treatment and Management of Anaphylaxis

What to look for:

Symptoms usually come on quickly, within minutes of exposure to the allergen.

Mild to moderate allergic reaction symptoms may include:

- a red raised rash (known as hives or urticaria) anywhere on the body
- a tingling or itchy feeling in the mouth
- swelling of lips, face or eyes
- stomach pain or vomiting
- mild throat tightness
- sudden change in behaviour

The above symptoms are treated with antihistamines.

More serious symptoms are often referred to as **the ABC symptoms** and can include:

- **AIRWAY** - swelling in the throat, tongue or upper airways (tightening of the throat, hoarse voice, difficulty swallowing).
- **BREATHING** - sudden onset wheezing, breathing difficulty, noisy breathing, persistent cough.
- **CIRCULATION** - dizziness, feeling faint, sudden sleepiness, tiredness, confusion, pale clammy skin, loss of consciousness.

The term for **this more serious reaction is anaphylaxis**. In extreme cases there could be a dramatic fall in blood pressure. The person may become weak and floppy and may have a sense of something terrible happening. This may lead to collapse and unconsciousness and, on rare occasions, can be fatal.

As soon as anaphylaxis is suspected, adrenaline must be administered without delay.

Action:

- Keep the individual where they are, call for help and do not leave them unattended.
- LIE individual FLAT WITH LEGS RAISED – they can be propped up if struggling to breathe but this should be for as short a time as possible.
- **USE ADRENALINE DEVICE WITHOUT DELAY** and note the time given. AAls should be given into the muscle in the outer thigh. Specific instructions vary by brand – always follow the instructions on the device.
- **CALL 999 and state ANAPHYLAXIS** (ana-fil-axis).
- If no improvement after 5 minutes, administer second adrenaline device
- If no signs of life commence CPR.
- Call parent/carer as soon as possible.

Whilst you are waiting for the ambulance, keep the individual where they are. Do not stand them up or sit them in a chair, even if they are feeling better.

This could lower their blood pressure drastically, causing their heart to stop.

All individuals must go to hospital for observation after anaphylaxis even if they appear to have recovered as a reaction can recur after treatment.

Minimising Risk and Exposure to Allergens

Minimising risk and the exposure to allergens is central to ensuring that individuals with allergies are safe from harm. Even a small amount of allergen can cause a reaction. Any food can cause a reaction with serious consequences for the individual and Normanton House School will only eliminate a food following a risk assessment supported by medical advice when necessary. Whilst there are 14 key food allergens that cause over 90% of reactions, any food can cause a reaction.

Normanton House School is allergy aware ensuring that the staff and students are actively aware of the risk posed by allergens, take steps to minimise the risk of exposure and have robust emergency response plans in place.

Normanton House School completes a school wide allergy risk assessment that seeks to minimise the risks of exposure to known allergens. The risk assessment will include:

- Identifying the food used within the curriculum and making adaptations to remove allergens that pose a risk for the whole group not just the student who has the allergy.
- Conducting specific risk assessments to manage the risks of exposure to allergens in individuals when planning external visits or trips
- Identify measures to manage risks of exposure to a food allergen through food brought in by others (for example, parents, students, staff, caterers).
- Putting in reasonable measures to manage the risk of individuals being exposed to allergens where they have a known allergy to airborne or contact allergens

Normanton House School will ensure that the risk of exposure is minimised by

- All school staff allergy training at induction and then at least every year
- Educating pupils through awareness assemblies and within PSHE
- Communicating with all visitors, temporary staff and cover staff that they will be teaching a student with an allergy and ensuring that the member of staff has been trained in allergy and anaphylaxis emergency response
- Working closely with parents/carers and health professionals to understand the student's allergy
- Monitoring this policy to ensure that the agreed practices are implemented
- Establishing and maintaining high hygiene standards amongst staff, students and visitors

Food On Site and Catering:

Normanton House School will manage the risk of food allergy whenever food is present or consumed on site. This is primarily at lunch and break times.

Staff who supervise pupils consuming food at lunch, break or during trips, receive training to ensure they are aware of which pupils have allergies and to what. Their training also makes them aware of the risks of cross-contamination and sharing of foods amongst pupils.

Where food is brought in by teachers or pupils as treats or to celebrate something and shared amongst pupils, parent/carers permission will be sought **in advance** to ensure inclusion and safety for students with allergies. Where such sharing is unforeseen and contacting parents is not possible the food will not be shared with pupils with allergies unless and until all ingredients are verified to be safe.

Any events organised by the school such as food sales or parties will have specific risk assessments carried out as part of planning to ensure that any allergens that may be present are identified and clearly labelled or displayed. Pupils, parents and staff with known allergies that may participate will be informed beforehand of the risks present.

Pupils throughout the school will be made aware of the risks of food sharing and will be taught to be careful with regards to any classmates that are known to have allergies. They will also be taught as a part of PHSE to recognise symptoms of allergic reactions in general.

Medication and Adrenaline Devices (ADs)

People at risk of anaphylaxis are prescribed two adrenaline devices which they should carry with them at all times. This includes the journey to and from;

- school,
- the classroom
- lunch area
- playground
- sports field
- when on visits or trips

Serious anaphylaxis is a time critical situation; delays in administering adrenaline have been associated with fatal reactions. An adrenaline device needs to be administered within 5 minutes so if the adrenaline device cannot be with them in the classroom, the adrenaline device should be stored in an appropriate central location that is unlocked and accessible at all times (including during wrap around care).

Adrenaline devices must be stored at room temperature (in line with manufacturer's guidelines) and not be exposed to extremes of heat. They should not be refrigerated or left in direct sunlight.

Spare Adrenaline Devices

The Human Medicines (Amendment) Regulations 2017 permit “spare” adrenaline devices to be used for the purpose of saving a life. This might be, for example, a child presenting for the first time with anaphylaxis due to an undiagnosed allergy.

Normanton House School holds spare adrenaline devices for use in emergency situations. These are not a replacement for a student’s own adrenaline device. Students prescribed adrenaline are expected to have their own adrenaline devices with them at school for use in an emergency.

Normanton House school holds:

2 x Epipen Jr (150mg) – for under 6year olds

4 x Epipen (300mg) - for over 6 year olds

These are located in:

2 x Epipen Jr are located in Year 1 classroom on ground floor

2 x Epipen are located in primary school hall on ground floor

2 x Epipen are located in secondary school hall on second floor

They are stored in yellow colour containers and labelled ‘Emergency Anaphylaxis Kit’

The school medical officer is responsible for checking that adrenaline devices are in date and remain clear (not cloudy) on a regular basis. They will secure replacements one month before the current adrenaline device expires.

Adrenaline devices that are used will be disposed of in a sharps box, kept in the primary medical room, or given to the paramedic. Adrenaline devices that are out of date or where the adrenaline has degraded will be taken to a pharmacy to be disposed of.

In the event of anaphylactic reaction:

- Adrenaline should be administered as soon as possible, within five minutes. Do not wait to contact the emergency services before administering adrenaline.
- The child, young person or individual should not be moved. Adrenaline devices should be brought to them (whether their own prescribed ADs or “spare” ADs).
- If the child, young person or individual has their own prescribed adrenaline devices, these should be used in the first instance.
- If the child, young person or individual does not have prescribed adrenaline devices, “spare” adrenaline devices can be used.
- If the child, young person or individual’s prescribed adrenaline devices are not available or misfire, “spare” adrenaline devices can be used.
- If the individual has serious allergy and asthma and there is any doubt if they are presenting with anaphylaxis or having an asthma attack always administer the adrenaline first.

AAI self-management

Secondary and older primary pupils are encouraged to manage their own devices insofar as bringing to and from school every day. In the school the device will be kept in the special box, with the pupils name on it, whilst the pupil is in the classroom. When the pupil goes for break, lunch or prayers they will take the pens with them carried on their person in a visible bag / case. This is to ensure that the pupils have their pens in close proximity at all times. If the pupil is playing at break time or is doing PE the pen will be held by the member of staff supervising.

Staff and other adults who have pens must carry them on their persons at all times and all staff should be aware of those persons and where their pens are kept. Symptoms of anaphylaxis can come on very suddenly, so all school staff need to be prepared to administer medication if the affected person cannot.

Staff Training and Emergency Response

All staff, including teaching staff, support staff, catering staff and others who may oversee students will be trained in allergy awareness and emergency response. The school is responsible for ensuring that teaching assistants, volunteers, temporary staff etc who may at any time supervise pupils, have received allergy awareness training.

Training will mainly be online but will be regular and will be backed up by refreshers during in-house training and at times of near misses. The content needs to include:

- Allergy awareness, the risks it poses, how allergic reactions occur and how to manage them
- Allergy includes multiple co-existing conditions: asthma, eczema, hay-fever
- Understand the difference between food allergy, intolerance and coeliac disease
- That a student can be allergic to any food, not just the top 14 allergens
- Know the symptoms of allergic reactions and how to treat
- Know the symptoms of anaphylaxis and how to treat
- How to locate and administer adrenaline or an asthma inhaler
 - All adrenaline devices should be used to train with as the student may have different ones to the spare adrenaline
- How to report an allergic reaction including
 - Mild to moderate
 - Anaphylaxis
 - Near miss/incident
- Understand their responsibilities in risk reduction to ensure that students prevented from coming into contact with their allergens
- Understand the impact that allergy can have on a student's wellbeing
- Understand the school's allergy safety policy and
 - How to check if a student is on the record of those with a known allergy
 - How to use an allergy or asthma action plan

Emergency preparedness

Throughout the year staff will be reminded of key aspects of the policy such as:

- how to find out who has an allergy
- the storage of spare adrenaline
- Emergency response including using AAls and calling 999

Normanton House School will communicate key messages regarding risk reduction leading up to festivals, trips and end of term celebrations. During fire drills and lockdown practices, the school will ensure that a student's adrenaline device is with them. Should a real evacuation happen, the student may have to go home without adrenaline if this has not been taken out during a fire evacuation.

Roles and Responsibilities

Allergy lead and governing body:

The trustees are responsible for ensuring that the school's policy sets out the arrangements to reduce the risk of individuals coming into contact with their known allergens and sets out the emergency response plan for cases of anaphylaxis. The trustees will monitor this policy and enquire about training, equipment and records at meetings.

Normanton House School has a named member of the senior leadership team who is responsible for allergy safety which includes driving the implementation of the allergy safety policy and contributing to the review of the policy.

The allergy lead is responsible for:

- systems to collect allergy information during the enrolment process.
- holding a register of students and staff with allergies including whether they hold adrenaline and whether they have an allergy action plan
- ensures that systems are robust for the identification of students at mealtimes
- Communication about:
 - the policy
 - the students who are on the register of those with allergies
 - the importance of recording and reporting near misses and incidents
- communication with:
 - governors to provide updates about the policy implementation
 - Health and Safety and Designated Safeguarding Leads to keep allergy safety as part of their roles
 - Outside agencies such as Health and Safety Executive (HSE) if a report under RIDDOR is needed
 - Caterer; the procedures in the kitchen and the procedures for ensuring that the students with allergies are provided with a safe meal

- Parents/carers to enable them to input into IHPs (Individual Healthcare Plans) and to request allergy action plans when appropriate
- Students to develop an understanding of allergy through information assemblies and workshops, participating in awareness days and weeks
- spare adrenaline devices and making sure these are checked and in date, with replacements being secured before the current ones expire
- that IHPs are created and communicated
- Training
 - ensuring that all staff annual training and that allergy is included in induction even for short term members of staff.
 - ensures that all staff have the opportunity to practice with trainer adrenaline devices at least annually but ideally a few times a year.

All Staff:

Responsible for:

- understanding their role in implementing this policy, recognising signs of allergic reactions, and acting swiftly in an emergency
- supporting the creation of the students IHP
- implementing the students IHP
- Creating an inclusive curriculum
- Curriculum adaptation to minimise risks
- Completing risk assessments for, curriculum activities involving food, trips and visits including sporting events
- Building proactive relationships with parents/carers
- Reporting near misses and incidents

Parents:

Responsible for:

- Adhering to this policy
- Providing school with the information they need to create individual health care plans
- Updating school when reactions happen outside of school or any changes to the student's allergy and its management.
- Ensuring that the student always has in date medication with them at school

Identification of Individuals with Allergies

Normanton House school collects detailed medical information from parents/carers regarding known allergies, dietary restrictions, and medication prior to admission through the admission form.

Relevant information is securely compiled and shared as necessary in a controlled way with teaching staff, support staff, supply cover while maintaining appropriate data privacy.

Transition: Allergy information and existing care plans are shared as part of a student's transition. Normanton House School will request allergy information from the previous school or setting and will consider whether any of the arrangements are suitable

to implement. Normanton House School works with parents/carers and the student if appropriate to write a new IHP.

Staff: pre-employment questionnaires will ask whether they have any allergies. If an allergy is declared, there will be a discussion and action plan created to ensure that the member of staff has a safe working environment.

Visitors and regular volunteers: will be asked about allergies ahead of their visit. If an allergy is declared, the allergy lead will be notified, and this information will be communicated as necessary to ensure that the visitor or regular volunteer has a safe working environment.

Student Individual Healthcare Plans (IHPs) and Allergy Action Plans

Allergy action plans

- These are clinical documents that are created by a GP / allergy nurse or allergy clinic. They detail the student's allergy and medication.
- These contain parent/carer contact details and must be signed by the parent/carer as this is the parental authority to administer medication including the administration of spare adrenaline devices.
- These will only be updated by the medical professional following a review of the student's allergy management, this could be annually or 5 yearly. Parents/carers or school need to update the photo of the student annually so that the student is recognisable.

Allergy action plans are issued for students who have an IgE food allergy and often a venom allergy that could lead to anaphylaxis. They are not issued for all allergies. Students with non-IgE allergies don't experience anaphylaxis and so an allergy action plan is not issued.

Individual Healthcare Plans (IHPs):

Individual healthcare plans are an essential communication tool that provide clarity about the arrangements which need to be in place to ensure that a student is fully included in the life of the school. It will identify exact risk-mitigation measures that need to be followed.

Individual Healthcare Plans are school owned documents that are co-created by school, parents/carers and students.

They should include any advice received from health professionals. If there is no advice from health professionals, information and support can be requested of the school nurses if this is needed.

Where a child has an allergy action plan and or an asthma plan, this must be included with the IHP.

It is good practice to review IHPs annually or when staff change however they must be reviewed if an incident or near miss occurs. They need to be brought to the attention of supply or cover staff and be passed on during transition to a new school.

Normanton House School will ensure that:

- students with an allergy action plan and/or an asthma plan have an individual healthcare plan
- students without an allergy action plan or asthma plan but have an allergy that needs active management over and above what other students need will have an individual healthcare plan
- individual healthcare plans are created whilst students are waiting for a diagnosis

School Trips and External Visits

Normanton House School ensures that students with allergies are fully included in every trip, sporting event, or extracurricular activities. A risk assessment addressing allergen exposure in each activity, emergency medication, transport, and proximity to local emergency care will be undertaken with control measures identified. In order to ensure that the student is safe and included, alternative activities will be planned. This will include the safe storage of adrenaline for the duration of the school trip.

Staff leading school trips will ensure they carry all relevant emergency supplies. Trip leaders will check that all students have their medication including adrenaline devices with them before departure. Students unable to produce their required medication will not be able to attend the excursion.

In conjunction with the allergy lead, the trip leader will review the risk assessment to determine whether the school's spare adrenaline devices should be taken on the trip. Normanton House School will provide additional spare adrenaline devices should the risk assessment for the trip deem necessary to take them ensuring that students remaining in school still have access to spare adrenaline devices should the need arise.

Serious Incidents and "Near Misses"

Normanton House School approaches serious incidents and "near misses" in a "no blame" spirit, seeking to learn lessons and address any issues which the incident identified, so that students are better protected in the future.

Normanton House School is aware, when an incident occurs that materials such as residues of food consumed or handled or samples of fluids may constitute evidence, which may need to be seized and retained.

Normanton House School records any allergic reactions (incidents) and near misses (e.g., accidental exposure without reaction, or labelling errors) immediately in the allergy register. The incident or near miss will be reviewed and a report written.

Normanton House School will share the report with the student's parents/carers, the student and the individual involved. They should be given the opportunity to discuss what happened

and to contribute their views to the consequent lessons learned review. Normanton House School will confirm what it has learned from the incident and outline any actions it is taking as a result. The student's IHP will be updated if necessary.

Wellbeing and Support

At Normanton House School allergy safety is a priority and actions to ensure that students are included and safe are embedded into the school's culture. Students with allergy become anxious as a result of the risk of exposure to allergens and the potential for anaphylaxis, which may be compounded by living with difficult-to-control asthma or eczema.

Normanton House School:

- regularly communicate to students, parents and staff about allergies, ensuring ongoing awareness and appreciation of the severity of the potential risks
- includes allergy and anaphylaxis lessons during assembly, tutor time or in PSHE
- plans school celebrations, rewards, and communal events inclusively from the outset to eliminate social isolation
- involves students and staff with allergies in developing and reviewing the policy and procedures for allergy management
- understands that allergy bullying is extremely serious and actively monitors, prevents, and addresses any stigmatisation or bullying directed at individuals due to their allergies or dietary constraints
- has proactive engagement with new joiners with known allergies, setting out the school, college or setting's policies and the support available

Unacceptable practice

Normanton House School staff are clear about what constitutes unacceptable practice and are committed to ensuring that only good practice occurs. Should unacceptable practice occur the school will follow its own procedures to identify and address this using staff conduct policies.

Examples of unacceptable practice include (but are not limited to):

- preventing children and young people from easily accessing and administering their medication in line with what is agreed in their Individual Healthcare Plan (for example prescribed adrenaline devices and asthma reliever inhalers) when and where necessary;
- assuming that every child with the same condition requires the same support;
- ignoring the views of the child or young person or their parents or carer;
- ignoring medical evidence or the opinion and advice of healthcare professionals;
- sending a child or young person who becomes unwell to a school office or medical room without suitable supervision. In the case of an emergency or suspected emergency (for example anaphylaxis) help should come to the child or young person